



WE CLAIM:


1. A compound of Formula I, Formula II, or Formula III:



I



II



III

where:

(A) in Formula I:

each of W, X and Y is independently selected from CR⁶R⁷, N-R⁷, O, or S provided that at least one of W, X, and Y is a non-carbon ring atom, and at least one of W, X, and Y is a carbon ring atom.

(B) In Formula II:

W and X are independently selected from C-R⁶ and N, and Y is selected from CR⁶R⁷, N-R⁷, O, or S, provided that:

(i) at least one of W, X, and Y is a non-carbon ring atom, and

(ii) when W is C-R⁶ and X is N, then Y is CR⁶R⁷.

(C) In Formula III:

W is selected from CR⁶R⁷, N-R⁷, O, or S, and X and Y are independently selected from C-R⁶ and N, provided that:

(i) at least one of W, X, and Y is a non-carbon ring atom, and

(ii) when X is N and Y is C-R⁶, then W is CR⁶R⁷;

and where:

Z is N or C-R⁸;

each R^1 , R^2 , R^6 , and R^8 is independently, hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl(lower alkyl), optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), halo(lower alkyl), $-CF_3$, halogen, nitro, $-CN$, $-OR^9$, $-SR^9$, $-NR^9R^{10}$, $-NR^9$ (carboxy(lower alkyl)), $-C(=O)R^9$, $-C(=O)OR^9$, $-C(=O)NR^9R^{10}$, $-OC(=O)R^9$, $-SO_2R^9$, $-OSO_2R^9$, $-SO_2NR^9R^{10}$, $-NR^9SO_2R^{10}$ or $-NR^9C(=O)R^{10}$, where R^9 and R^{10} are independently, hydrogen, optionally substituted lower alkyl, lower alkyl- $N(C_{1-2} \text{ alkyl})_2$, lower alkyl(optionally substituted heterocycloalkyl), alkenyl, alkynyl, optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally substituted heterocycloalkyl(lower alkyl), aryl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, heteroaryl(lower alkyl), or R^9 and R^{10} together are $-(CH_2)_{4-6}$ - optionally interrupted by one O, S, NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)) or N-(optionally substituted C_{1-2} alkyl) group,

R^3 and R^4 are independently, hydrogen, lower alkyl, optionally substituted lower alkyl, optionally substituted aryl, or optionally substituted aryl(lower alkyl), or, together, are $-(CH_2)_{2-4}$,

R^5 is hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl(lower alkyl), optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted aryl(lower alkyl), optionally substituted heteroaryl, optionally substituted heteroaryl(lower alkyl), $-C(=O)R^{11}$, $-C(=O)OR^{11}$, $-C(=O)NR^{11}R^{12}$, $-SO_2R^{11}$, or $-SO_2NR^{11}R^{12}$, where R^{11} and R^{12} are independently, hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl(lower alkyl), aryl, optionally substituted heteroaryl, heteroaryl(lower alkyl), or R^{11} and R^{12} together are $-(CH_2)_{4-6}$,

each R^7 is hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl(lower alkyl), optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), $-C(=O)R^9$, $-C(=O)OR^9$, $-C(=O)NR^9R^{10}$, $-SO_2R^9$, or $-SO_2NR^9R^{10}$, where R^9 and R^{10} are independently, hydrogen, optionally substituted lower alkyl, lower alkyl- $N(C_{1-2} \text{ alkyl})_2$, lower alkyl(optionally substituted heterocycloalkyl), alkenyl, alkynyl, optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally substituted heterocycloalkyl(lower alkyl), aryl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, heteroaryl(lower alkyl), or R^9 and R^{10} together are $-(CH_2)_{4-6}$ - optionally interrupted by one O, S, NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)) or N-(optionally substituted C_{1-2} alkyl) group,



50 or a pharmaceutically acceptable salt thereof, optionally in the form of a single stereoisomer or
51 mixture of stereoisomers.

1 2. The compound of claim 1, where said compound is a compound of Formula I or a
2 pharmaceutically acceptable salt thereof, as a single stereoisomer or mixture of stereoisomers.

1 3. The compound of claim 1, where said compound is a compound of Formula II or a
2 pharmaceutically acceptable salt thereof, as a single stereoisomer or mixture of stereoisomers.

1 4. The compound of claim 1, where said compound is a compound of Formula III or a
2 pharmaceutically acceptable salt thereof, as a single stereoisomer or mixture of stereoisomers.

1 5. The compound of claim 1 that is a compound of Formula Ia, Formula IIa, or Formula IIIa:



2 where:

3 (A) In Formula Ia:

4 each of W, X and Y is independently selected from CR⁶R⁷, N-R⁷, O, or S provided that at least
5 one of W, X, and Y is a non-carbon ring atom, and at least one of W, X, and Y is a carbon ring
6 atom.
7

8 (B) In Formula IIa:

9 W and X are independently selected from C-R⁶ and N, and Y is selected from CR⁶R⁷, N-R⁷, O,
10 or S, provided that:

(i) at least one of W, X, and Y is a non-carbon ring atom, and

(ii) when W is C-R⁶ and X is N, then Y is CR⁶R⁷.

(C) In Formula IIIa:

W is selected from CR⁶R⁷, N-R⁷, O, or S, and X and Y are independently selected from C-R⁶ and N, provided that:

(i) at least one of W, X, and Y is a non-carbon ring atom, and

(ii) when X is N and Y is C-R⁶, then W is CR⁶R⁷;

and where:

Z is N or C-R⁸;

R¹, R², R³, R⁴, R⁶, R⁷, and R⁸ are as defined in the first embodiment,

R¹³ is hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, cycloalkyl,

cycloalkyl(lower alkyl), heterocycloalkyl, optionally substituted aryl, optionally substituted aryl(lower alkyl), optionally substituted heteroaryl, optionally substituted heteroaryl(lower alkyl), halo(lower alkyl), -CF₃, halo(lower alkyl), halogen, nitro, -CN, -OR¹⁵, -SR¹⁵, -NR¹⁵R¹⁶, -C(=O)R¹⁵, -C(=O)OR¹⁵, -C(=O)NR¹⁵R¹⁶, -OC(=O)R¹⁵, -SO₂R¹⁵, -SO₂NR¹⁵R¹⁶, -NR¹⁵SO₂R¹⁶ or -NR¹⁵C(=O)R¹⁶, where R¹⁵ and R¹⁶ are independently, hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, -CF₃, cycloalkyl, optionally substituted heterocycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, optionally substituted heteroaryl(lower alkyl) or, together, are -(CH₂)₄₋₆- optionally interrupted by one O, S, NH or N-(C₁₋₂ alkyl) group,

each R¹⁴ is independently selected from optionally substituted lower alkyl, optionally substituted aryl, optionally substituted heteroaryl, hydroxy, halogen, -CF₃, -OR¹⁷, -NR¹⁷R¹⁸, -C(=O)R¹⁷, -C(=O)OR¹⁷, -O(CH₂)_mC(=O)OR¹⁷, where m is an integer of 1 to 4, or -C(=O)NR¹⁷R¹⁸, where R¹⁷ and R¹⁸ are independently, hydrogen, lower alkyl, alkenyl, alkynyl, -CF₃, optionally substituted heterocycloalkyl, cycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, heteroaryl, heteroaryl(lower alkyl) or, together, are -(CH₂)₄₋₆-, optionally interrupted by one O, S, NH or N-(C₁₋₂ alkyl) group, and

n is an integer of 0 to 4,

or a pharmaceutically acceptable salt thereof, as a single stereoisomer or mixture of stereoisomers.

6. The compound of claim 5, where said compound is a compound of Formula Ia or a pharmaceutically acceptable salt thereof, as a single stereoisomer or mixture of stereoisomers.

- 1 7. The compound of claim 5, where said compound is a compound of Formula IIa or a
2 pharmaceutically acceptable salt thereof, as a single stereoisomer or mixture of stereoisomers.
- 1 8. The compound of claim 5, where said compound is a compound of Formula IIIa or a
2 pharmaceutically acceptable salt thereof, as a single stereoisomer or mixture of stereoisomers.
- 1 9. The compound of claim 2 or claim 6, where W and Y are O, X is CR⁶R⁷, where R⁶ and R⁷ are
2 independently hydrogen, lower alkyl, or optionally substituted aryl, and Z is C-H.
- 1 10. The compound of claim 3 or claim 7, where W is N, X is CR⁶, where R⁶ is hydrogen, lower
2 alkyl, or optionally substituted aryl, Y is O, and Z is C-H.
- 1 11. The compound of claim 4 or claim 8, where W is O, X is CR⁶, where R⁶ is hydrogen, lower
2 alkyl, or optionally substituted aryl, Y is N, and Z is C-H.
- 1 12. The compound of claim 4 or claim 8, where W is N-R⁷, where R⁷ is hydrogen, optionally
2 substituted lower alkyl, or optionally substituted aryl(lower alkyl), X and Y are each CR⁶, where R⁶ is
3 hydrogen, lower alkyl, or optionally substituted aryl, and Z is C-H.
- 1 13. The compound of claim 3 or claim 7, where W and X are each CR⁶, where R⁶ is hydrogen,
2 lower alkyl, or optionally substituted aryl, Y is N-R⁷, where R⁷ is hydrogen, lower alkyl, substituted
3 lower alkyl, or optionally substituted aryl(lower alkyl), and Z is C-H.
- 1 14. The compound of claim 3 or claim 7, where W and X are each N, Y is N-R⁷, where R⁷ is
2 hydrogen, lower alkyl, substituted lower alkyl, or optionally substituted aryl(lower alkyl), and Z is
3 C-H.
- 1 15. The compound of claim 2 or claim 6, where W and X are each CR⁶R⁷, where R⁶ and R⁷ are
2 independently hydrogen, lower alkyl, or optionally substituted aryl, Y is O, and Z is C-H.
- 1 16. The compound of claim 2 or claim 6, where W is O, X and Y are each CR⁶R⁷, where R⁶ and
2 R⁷ are independently hydrogen, lower alkyl, or optionally substituted aryl, and Z is C-H.

- 1 17. The compound of claim 3 or claim 7, where W is N, X is CR⁶, where R⁶ is hydrogen, lower
2 alkyl, or optionally substituted aryl, Y is N-R⁷, where R⁷ is hydrogen, lower alkyl, substituted lower
3 alkyl, or optionally substituted aryl(lower alkyl), and Z is C-H.
- 1 18. The compound of claim 4 or claim 8, where W is N-R⁷, where R⁷ is hydrogen, lower alkyl,
2 substituted lower alkyl, or optionally substituted aryl(lower alkyl), X is CR⁶, where R⁶ is hydrogen,
3 lower alkyl, or optionally substituted aryl, Y is N, and Z is C-H.
- 1 19. The compound of claim 4 or claim 8, where W is N-R⁷, where R⁷ is hydrogen, lower alkyl,
2 substituted lower alkyl, or optionally substituted aryl(lower alkyl), X and Y are each N, and Z is C-H.
- 1 20. The compound of claim 1 or claim 5, where R¹ and R² are independently selected from
2 hydrogen, lower alkyl, halogen, optionally lower alkyl substituted heterocycloalkyl, -OR⁹, -SR⁹, or
3 -NR⁹R¹⁰, where R⁹ and R¹⁰ are hydrogen, lower alkyl or optionally substituted aryl.
- 1 21. The compound of claim 1 or claim 5, where R³ and R⁴ are independently selected from
2 hydrogen or lower alkyl.
- 1 22. The compound of claim 2 or claim 6, where W and X are each CR⁶R⁷, where R⁶ and R⁷ are
2 independently hydrogen, lower alkyl, or optionally substituted aryl, and Z is N-R⁷.
- 1 23. The compound of claim 2 or claim 6, where W is CR⁶R⁷, where R⁶ and R⁷ are independently
2 hydrogen, lower alkyl, or optionally substituted aryl, X is O, and Z is N-R⁷.
- 1 24. The compound of claim 2 or claim 6, where W is O, X is CR⁶R⁷, where R⁶ and R⁷ are
2 independently hydrogen, lower alkyl, or optionally substituted aryl, and Y is N-R⁷.
- 1 25. The compound of claim 5, where R¹³ is independently selected from alkynyl, optionally
2 substituted aryl, optionally substituted heteroaryl, halogen, -CF₃, -CN, -OR¹⁵, -C(=O)R¹⁵,
3 -C(=O)OR¹⁵, or -C(=O)NR¹⁵R¹⁶, where R¹⁵ and R¹⁶ are independently, hydrogen, lower alkyl,
4 halo(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, heteroaryl(lower alkyl)
5 or R¹⁵ and R¹⁶ together are -(CH₂)₄₋₆-, optionally interrupted by one O, S, NH or N-(C₁₋₂ alkyl) group.

1 26. The compound of claim 5, where R^{14} is independently selected from halogen, $-CF_3$, $-OR^{17}$,
 2 $-C(=O)OR^{17}$, $-O(CH_2)_mC(=O)OR^{17}$, where m is an integer of 1 to 4, or $-C(=O)NR^{17}R^{18}$, where R^{17}
 3 and R^{18} are independently, hydrogen, lower alkyl, optionally substituted aryl, heteroaryl, or
 4 heteroaryl(lower alkyl), or R^{17} and R^{18} together are $-(CH_2)_{4-6}$, optionally interrupted by one O, S, NH
 5 or N-(C_{1-2} alkyl) group.

1 27. The compound of claim 1, where R^1 is hydrogen, optionally substituted lower alkyl,
 2 cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted
 3 heteroaryl, optionally substituted aryl(lower alkyl), halogen, $-OR^9$, $-NR^9[carboxy(lower alkyl)]$,
 4 $-C(=O)OR^9$, $-C(=O)NR^9R^{10}$, $-SO_2NR^9R^{10}$, or $-NR^9C(=O)R^{10}$, where R^9 and R^{10} are independently,
 5 hydrogen, optionally substituted lower alkyl, lower alkyl-N(C_{1-2} alkyl)₂, lower alkyl(optionally
 6 substituted heterocycloalkyl), optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally
 7 substituted aryl, optionally substituted heteroaryl, heteroaryl(lower alkyl), or R^9 and R^{10} together are
 8 $-(CH_2)_{4-6}$ optionally interrupted by one O, S, NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower
 9 alkyl)) or N-(optionally substituted C_{1-2} alkyl) group.

1 28. The compound of claim 1, where R^2 is hydrogen, optionally substituted lower alkyl,
 2 optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl,
 3 optionally substituted aryl(lower alkyl), halo(lower alkyl), halogen, $-OR^9$, $-NR^9R^{10}$, $-C(=O)OR^9$, or
 4 $-C(=O)NR^9R^{10}$, where R^9 and R^{10} are independently, hydrogen, optionally substituted lower alkyl,
 5 lower alkyl-N(C_{1-2} alkyl)₂, lower alkyl(optionally substituted heterocycloalkyl), optionally substituted
 6 cycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl,
 7 heteroaryl(lower alkyl), or R^9 and R^{10} together are $-(CH_2)_{4-6}$ optionally interrupted by one O, S, NH,
 8 N-(aryl), N-[aryl(lower alkyl)], N-(carboxy(lower alkyl)) or N-(optionally substituted C_{1-2} alkyl) group.

1 29. The compound of claim 1 or claim 5, where R^3 and R^4 are independently, hydrogen or lower
 2 alkyl.

1 30. The compound of claim 1, where R^6 and R^7 are independently hydrogen, optionally
 2 substituted lower alkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally
 3 substituted heteroaryl, optionally substituted aryl(lower alkyl), $-C(=O)R^9$, $-C(=O)OR^9$,
 4 $-C(=O)NR^9R^{10}$, $-SO_2R^9$, or $-SO_2NR^9R^{10}$, where R^9 and R^{10} are independently, hydrogen, optionally

5 substituted lower alkyl, lower alkyl-N(C₁₋₂ alkyl)₂, alkenyl, alkynyl, optionally substituted cycloalkyl,
6 cycloalkyl(lower alkyl), optionally substituted aryl, heteroaryl, or heteroaryl(lower alkyl).

1 31. The compound of claim 1, where R⁸ is hydrogen, optionally substituted lower alkyl,
2 optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl,
3 optionally substituted aryl(lower alkyl), halo(lower alkyl), -CF₃, halogen, -OR⁹, -NR⁹R¹⁰, -C(=O)R⁹,
4 -C(=O)OR⁹, -C(=O)NR⁹R¹⁰, -OC(=O)R⁹, -SO₂R⁹, -SO₂NR⁹R¹⁰, -NR⁹SO₂R¹⁰ or -NR⁹C(=O)R¹⁰,
5 where R⁹ and R¹⁰ are independently, hydrogen, optionally substituted lower alkyl, lower alkyl-N(C₁₋₂
6 alkyl)₂, optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl,
7 heteroaryl, heteroaryl(lower alkyl), or R⁹ and R¹⁰ together are -(CH₂)₄₋₆- optionally interrupted by one
8 O, S, NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)) or N-(optionally substituted C₁₋₂
9 alkyl) group.

1 32. The compound of claim 1, where R¹, R³ and R⁴ are hydrogen, and R⁵ is optionally
2 substituted aryl or optionally substituted heteroaryl.

1 33. The compound of claim 1, where R¹, R², and R⁸ are optionally substituted lower alkyl,
2 cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted
3 heteroaryl, optionally substituted aryl(lower alkyl), halogen, -OR⁹, -NR⁹[carboxy(lower alkyl)],
4 -C(=O)OR⁹, -C(=O)NR⁹R¹⁰, -SO₂NR⁹R¹⁰, or -NR⁹C(=O)R¹⁰, where R⁹ and R¹⁰ are independently,
5 hydrogen, lower alkyl, or R⁹ and R¹⁰ together are -(CH₂)₄₋₆- optionally interrupted by one O, S, NH,
6 N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)) or N-(optionally substituted C₁₋₂ alkyl) group.

1 34. The compound of claim 5, where R¹³ is hydrogen, optionally substituted lower alkyl, alkenyl,
2 alkynyl, heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally
3 substituted heteroaryl(lower alkyl), halo(lower alkyl), -CF₃, halogen, nitro, -CN, -OR¹⁵, -SR¹⁵,
4 -NR¹⁵R¹⁶, -C(=O)R¹⁵, -C(=O)OR¹⁵, -C(=O)NR¹⁵R¹⁶, or -NR¹⁵C(=O)R¹⁶, where R¹⁵ and R¹⁶ are
5 independently, hydrogen, optionally substituted lower alkyl, alkenyl, cycloalkyl, or halo(lower alkyl).

1 35. The compound of claim 5, where each R¹⁴ is independently selected from optionally
2 substituted lower alkyl, optionally substituted aryl, optionally substituted heteroaryl, hydroxy,
3 halogen, -CF₃, -OR¹⁷, -NR¹⁷R¹⁸, -C(=O)R¹⁷, -C(=O)OR¹⁷, -O(CH₂)_mC(=O)OR¹⁷, where m is an

integer of 1 to 4, $-C(=O)NR^{17}R^{18}$, where R^{17} and R^{18} are, independently, hydrogen, lower alkyl, alkenyl, or optionally substituted aryl.

36. The compound of claim 1 that is selected from:

- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(3-chloro-4-hydroxyphenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(3,4-dichlorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-([2,6-bis(methylethyl)phenyl]amino)carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(4-hydroxyphenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(3-chloro-4-methoxyphenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(3-chlorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(phenylamino)carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(5-chloro-2-hydroxyphenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(3-fluorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(2,6-difluorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(2,3-difluorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(4-fluorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(4-chlorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(3,4-difluorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([4-(trifluoromethyl)phenyl]amino)carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-(trifluoromethyl)phenyl]amino)carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(4-nitrophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([4-nitro-3-(trifluoromethyl)phenyl]amino)carbonyl}-
carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([4-chloro-3-(trifluoromethyl)phenyl]amino)carbonyl)-
carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(4-bromophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[(3-bromophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(3-cyanophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(2,4-dichlorophenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(4-methoxyphenyl)amino]carbonyl} carboxamide;
- 2H-benzo[d]1,3-dioxolan-5-yl-N-[(4-iodophenyl)amino]carbonyl} carboxamide;

- 29 2H-benzo[d]1,3-dioxolan-5-yl-N-{[(3-iodophenyl)amino]carbonyl} carboxamide;
- 30 4-{[(2H-benzo[d]1,3-dioxolan-5-ylcarbonylamino)carbonyl]amino} benzamide;
- 31 2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-fluoro-4-(trifluoromethyl)phenyl]amino} carbonyl)-
- 32 carboxamide;
- 33 2H-benzo[d]1,3-dioxolan-5-yl-N-({[4-fluoro-3-(trifluoromethyl)phenyl]amino} carbonyl)-
- 34 carboxamide;
- 35 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(4-phenylphenyl)amino]carbonyl} carboxamide;
- 36 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-({[3-(trifluoromethoxy)phenyl]amino} carbonyl)carboxamide;
- 37 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-({[3-(trifluoromethylthio)phenyl]amino} carbonyl)carboxamide;
- 38 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-({[3,5-bis(trifluoromethyl)phenyl]amino} carbonyl)-
- 39 carboxamide;
- 40 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-({[3-(methylethyl)phenyl]amino} carbonyl)carboxamide;
- 41 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-ethylphenyl)amino]carbonyl} carboxamide;
- 42 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-ethoxyphenyl)amino]carbonyl} carboxamide;
- 43 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-({[3-(methylethoxy)phenyl]amino} carbonyl)carboxamide;
- 44 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-({[3-(tert-butyl)phenyl]amino} carbonyl)carboxamide;
- 45 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-phenylphenyl)amino]carbonyl} carboxamide;
- 46 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-chloro-4-methylphenyl)amino]carbonyl} carboxamide;
- 47 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-iodo-4-methylphenyl)amino]carbonyl} carboxamide;
- 48 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-({[4-methyl-3-(trifluoromethyl)phenyl]amino} carbonyl)-
- 49 carboxamide;
- 50 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-phenoxyphenyl)amino]carbonyl} carboxamide;
- 51 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-nitrophenyl)amino]carbonyl} carboxamide;
- 52 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3,5-dichlorophenyl)amino]carbonyl} carboxamide;
- 53 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-acetylphenyl)amino]carbonyl} carboxamide;
- 54 methyl 3-{[(2H-benzo[3,4-d]1,3-dioxolen-5-ylcarbonylamino)carbonyl]amino} benzoate;
- 55 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-(1H-1,2,3,4-tetraazol-5-yl)phenyl)amino]carbonyl}-
- 56 carboxamide;
- 57 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-ethynylphenyl)amino]carbonyl} carboxamide;
- 58 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(3-chloro-2-methylphenyl)amino]carbonyl} carboxamide;
- 59 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{[(5-chloro-2-methylphenyl)amino]carbonyl} carboxamide;

60 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[[3-(chloro-2,6-diethylphenyl)amino]carbonyl]carboxamide;
 61 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[[5-(iodo-2-methylphenyl)amino]carbonyl]carboxamide;
 62 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[[3-(2-pyridyl)phenyl]amino]carbonyl]carboxamide;
 63 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[[3-(1,3-thiazol-2-yl)phenyl]amino]carbonyl]carboxamide;
 64 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[[3-(3-thienyl)phenyl]amino]carbonyl]carboxamide;
 65 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[[3-(2-furyl)phenyl]amino]carbonyl]carboxamide;
 66 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[[3-(2-thienyl)phenyl]amino]carbonyl]carboxamide;
 67 2H-benzo[d]1,3-dioxolan-5-yl-N-[(2H-Benzo[3,4-d]1,3-dioxolen-5-ylamino)carbonyl]carboxamide;
 68 2H-benzo[d]1,3-dioxolan-5-yl-N-([5-(trifluoromethyl)(1,3,4-thiadiazol-2-yl)]amino}carbonyl)-
 69 carboxamide;
 70 2H-benzo[d]1,3-dioxolan-5-yl-N-[[5-(chloro(1,3-thiazol-2-yl))amino]carbonyl]carboxamide;
 71 2H-benzo[d]1,3-dioxolan-5-yl-N-[[6-(chloro-4-methylpyrimidin-2-yl)amino]carbonyl]carboxamide;
 72 2H-benzo[d]1,3-dioxolan-5-yl-N-[[2-(chloro(4-pyridyl))amino]carbonyl]carboxamide;
 73 (6-bhloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-[[3-(icyanophenyl)amino]carbonyl]carboxamide;
 74 (6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-[[3-(iodophenyl)amino]carbonyl]carboxamide;
 75 (6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-([3-(trifluoromethyl)phenyl]amino}carbonyl)-
 76 carboxamide;
 77 (6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-([3-(methylethoxy)phenyl]amino}carbonyl)-
 78 carboxamide;
 79 (6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-([4-fluoro-3-(trifluoromethyl)phenyl]amino)-
 80 carbonyl]carboxamide;
 81 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-[[3-(chlorophenyl)methylamino]carbonyl]-N-methyl-
 82 carboxamide;
 83 2H-benzo[d]1,3-dioxolan-5-yl-N-[[3-(chlorophenyl)amino]carbonyl]-N-methylcarboxamide;
 84 benzoxazol-5-yl-N-[[3,4-dichlorophenyl]amino]carbonyl]carboxamide;
 85 benzoxazol-5-yl-N-[[4-(chlorophenyl)amino]carbonyl]carboxamide;
 86 benzoxazol-5-yl-N-[[3-(chlorophenyl)amino]carbonyl]carboxamide;
 87 benzoxazol-5-yl-N-[[3-(bromophenyl)amino]carbonyl]carboxamide;
 88 benzoxazol-5-yl-N-([4-(trifluoromethyl)phenyl]amino}carbonyl]carboxamide;
 89 benzoxazol-5-yl-N-[[3-(iodophenyl)amino]carbonyl]carboxamide;
 90 benzoxazol-5-yl-N-([3-(trifluoromethyl)phenyl]amino}carbonyl]carboxamide;

- 91 benzoxazol-5-yl-N-([3,5-bis(trifluoromethyl)phenyl]amino)carbonyl)carboxamide;
- 92 benzoxazol-5-yl-N-([4-fluorophenyl]amino)carbonyl)carboxamide;
- 93 benzoxazol-6-yl-N-([3,4-dichlorophenyl]amino)carbonyl)carboxamide;
- 94 benzoxazol-6-yl-N-([4-chlorophenyl]amino)carbonyl)carboxamide;
- 95 benzoxazol-6-yl-N-([4-(trifluoromethyl)phenyl]amino)carbonyl)carboxamide;
- 96 benzoxazol-6-yl-N-([3-chlorophenyl]amino)carbonyl)carboxamide;
- 97 benzoxazol-6-yl-N-([3-(trifluoromethyl)phenyl]amino)carbonyl)carboxamide;
- 98 benzoxazol-6-yl-N-([3,5-bis(trifluoromethyl)phenyl]amino)carbonyl)carboxamide;
- 99 benzoxazol-6-yl-N-([3-(trifluoromethoxy)phenyl]amino)carbonyl)carboxamide;
- 100 benzoxazol-6-yl-N-([3-cyanophenyl]amino)carbonyl)carboxamide;
- 101 benzoxazol-6-yl-N-([4-fluoro-3-(trifluoromethyl)phenyl]amino)carbonyl)carboxamide;
- 102 benzoxazol-6-yl-N-([3-bromophenyl]amino)carbonyl)carboxamide;
- 103 methyl 3-([benzoxazol-6-ylcarbonylamino)carbonyl]amino)benzoate;
- 104 4-([benzoxazol-6-ylcarbonylamino)carbonyl]amino)-2-chlorobenzoic acid;
- 105 phenylmethyl 2-(4-([benzoxazol-6-ylcarbonylamino)carbonyl]amino)-2-chlorophenoxy)acetate;
- 106 4-([benzoxazol-6-ylcarbonylamino)carbonyl]amino)benzoic acid;
- 107 5-([benzoxazol-6-ylcarbonylamino)carbonyl]amino)-2-chlorobenzoic acid;
- 108 N-([3,5-bis(trifluoromethyl)phenyl]amino)carbonyl)(1-methylindol-6-yl)carboxamide;
- 109 (1-methylindol-6-yl)-N-([3-(trifluoromethyl)phenyl]amino)carbonyl)carboxamide;
- 110 N-([3,4-dichlorophenyl]amino)carbonyl)(1-methylindol-6-yl)carboxamide;
- 111 N-([3-iodophenyl]amino)carbonyl)(1-methylindol-6-yl)carboxamide;
- 112 N-([3-cyanophenyl]amino)carbonyl)(1-methylindol-6-yl)carboxamide;
- 113 N-([4-fluoro-3-(trifluoromethyl)phenyl]amino)carbonyl)(1-methylindol-6-yl)carboxamide;
- 114 N-([3,4-dichlorophenyl]amino)carbonyl)(1-methylindol-5-yl)carboxamide;
- 115 N-([3-chlorophenyl]amino)carbonyl)(1-methylindol-5-yl)carboxamide;
- 116 N-([3-bromophenyl]amino)carbonyl)(1-methylindol-5-yl)carboxamide;
- 117 N-([3,5-bis(trifluoromethyl)phenyl]amino)carbonyl)(1-methylindol-5-yl)carboxamide;
- 118 N-([4-fluoro-3-(trifluoromethyl)phenyl]amino)carbonyl)(1-methylindol-5-yl)carboxamide;
- 119 benzotriazol-5-yl-N-([3,4-dichlorophenyl]amino)carbonyl)carboxamide;
- 120 benzotriazol-5-yl-N-([4-chlorophenyl]amino)carbonyl)carboxamide;
- 121 N-([3,4-dichlorophenyl]amino)carbonyl)-2,3-dihydrobenzo[b]furan-5-ylcarboxamide;

122 N-{[(3-chlorophenyl)amino]carbonyl}-2,3-dihydrobenzo[b]furan-5-ylcarboxamide;
 123 2,3-dihydrobenzo[b]furan-5-yl-N-{{[4-(trifluoromethyl)phenyl]amino}carbonyl}carboxamide;
 124 2,3-dihydrobenzo[b]furan-5-yl-N-{{[4-fluorophenyl]amino}carbonyl}carboxamide;
 125 2,3-Dihydrobenzo[b]furan-5-yl-N-{{[4-methoxyphenyl]amino}carbonyl}carboxamide; and
 126 N-{{[(3,4-dichlorophenyl)amino]carbonyl}}(1-methylbenzimidazol-5-yl)carboxamide;
 127 and the pharmaceutically acceptable salts thereof, as single stereoisomers or mixtures of
 128 stereoisomers.

1 37. A pharmaceutical composition comprising:

- 2 (a) a therapeutically effective amount of a compound of claim 1; and
- 3 (b) a pharmaceutically acceptable excipient.

1 38. The pharmaceutical composition of claim 37, further comprising an anti-inflammatory drug,
 2 cytokine, or immunomodulator.

1 39. A method of treating an allergic, inflammatory, or autoimmune disorder or disease,
 2 comprising administering a therapeutically effective amount of a compound of claim 1 to a mammal
 3 in need of such treatment.

1 40. The method of claim 39 where the compound is administered in combination with an anti-
 2 inflammatory drug, cytokine, or immunomodulator.

1 41. The method of claim 39 where the allergic, inflammatory, or autoimmune disorder or disease
 2 is selected from the group consisting of asthma, atherosclerosis, glomerulonephritis, pancreatitis,
 3 restenosis, rheumatoid arthritis, diabetic nephropathy, pulmonary fibrosis, inflammatory bowel
 4 disease, Crohn's disease, and transplant rejection.

1 42. The method of claim 39 where the allergic, inflammatory, or autoimmune disorder or disease
 2 is associated with lymphocyte and/or monocyte accumulation.

1 43. A method of inhibiting leukocyte migration, comprising administering a therapeutically
 2 effective amount of a compound of claim 1 to a mammal in need of such treatment.